

Informacijski list proizvoda (HR)

Product information (ENG)

VIVAX

Kuhinjska napa CHO-60CSA210A GB / GW



210 W
JAČINA MOTORA



592 m³/h
PROTOK ZRAKA



ALUMINIJSKI
FILTER

Tiha. Moćna. Jednostavna. Savršena. Unesite nova iskustva u kuhanje! Zahvaljujući snazi od 210 W, nema nečistoće i mirisa koje ovaj motor ne može izvući s čak 3 razine rada. Kako bi vam omogućili kasnonoćno uživanje u kulinarskim radostima, tu su i 2 moćna LED svjetla koja će ravnomjerno osvijetliti radnu ploču.



Snaga motora
210 W

Brzine motora
3

Protok zraka (ERP)
592 m³/h

Napajanje / Ukupna snaga
212 W

Minimalna / Maksimalna razina buke
62 dB / 67 dB

Klasa energetske učinkovitosti
A

Učinkovitost filtriranja masnoće
D

Razred učinkovitosti osvjetljenja
A

Tip svjetla
2 x 1 W LED / 60 lux

Vanjski izgled / Kontrole
Crno/Bijelo 4-mm kaljeno staklo / Tipke na dodir;
Bijeli LCD zaslon sa Timer automatskim isklj.

Tip filtera
2 x Aluminijski filter u 5 slojeva

Ugljeni filter za unutarnju cirkulaciju zraka
CP120 (naručuje se posebno)

Promjer odvodnog crijeva / Mjesto priključka
150 mm / Gornja strana

Pribor u kompletu
Savijljivo crijevo Ø 150 x 1500 mm; Nosači i pribor
za montažu; Energetska naljepnica; Upute za
uporabu i montažu

Bruto / Neto težina
14,7 kg / 12,5 kg

Dimenzija paketa / Dimenzija uređaja
650 x 440 x 460 mm / 600 x 745-1125 x 390 mm

EAN Kod Crna / EAN Kod Bijela
3856005181155 / 3856005181162

SAP Kod Crna / SAP Kod Bijela
1208282 / 1208284



Aluminijski filter



LED Rasvjeta



Tipke na dodir

VIVAX

Kuhinjska napa CHO-60CSA210A GB / GW



210 W
JAČINA MOTORA



592 m³/h
PROTOK ZRAKA




ALUMINIJSKI
FILTER

Tiha. Moćna. Jednostavna. Savršena. Unesite nova iskustva u kuhanje! Zahvaljujući snazi od 210 W, nema nečistoće i mirisa koje ovaj motor ne može izvući s čak 3 razine rada. Kako bi vam omogućili kasnonoćno uživanje u kulinarskim radostima, tu su i 2 moćna LED svjetla koja će ravnomjerno osvijetliti radnu ploču.



DIMENZIJE PROIZVODA





ZAMJENA SVJETLA

UPOZORENJE:

Zamjenu osvjetljenja mora izvesti ovlašteni servis ili slična kvalificirana osoba kako bi se izbjegla opasnost od električnog udara.

ENERGETSKA NALJEPNICA



VIVAX


210 W
MOTOR POWER


592 m³/h
AIR FLOW


ALUMINUM
FILTER

Kitchen Hood CHO-60CSA210A GB / GW

Quiet. Powerful. Simple. Perfect. Brings a whole new cooking experience! Thanks to the power of 210 W, there is no dirt and odor that this motor cannot extract with as many as 3 levels of operation. Two powerful LED lights that will evenly illuminate the worktop allowing you to enjoy late night meal preparations and gatherings.



Motor Power
210 W

Number of engine speeds
3

Air Flow (ErP)
592 m³/h

Power Supply / Power
212 W

Min. / Max. noise level
62 dB / 67 dB

Energy efficiency class
A

Grease filtering efficiency
D

Lighting efficiency class
A

Type of light source
2 x 1 W LED / 60 lux

Exterior / Controls
Black / White 4-mm tempered glass / Touch buttons; White LCD screen with auto. off timer

Filter Type
2 x Aluminum filter in 5 layers

Carbon Filter for indoor air circulation
CP120 (purchased separately)

Exhaust hose diameter / Connection location
150 mm / Upper Side

Installation Accessories
Flexible hose Ø 150 x 1500mm; Bracket and mounting accessories; Energy label; Instructions for use and installation

Gross / Net Weight
14.7. kg / 12.5 kg

Package Dimension / Appliance Dimension
650 x 440 x 460 mm / 600 x 745-1125 x 390 mm

EAN Code Black / EAN Code White
3856005181155 / 3856005181162

SAP Code Black / SAP Code White
1208282 / 1208284



Aluminum Filter



LED Lighting



Touch Screen Buttons

VIVAX

Kitchen Hood CHO-60CSA210A GB / GW



210 W
MOTOR POWER




592 m³/h
AIR FLOW



ALUMINUM
FILTER

Quiet. Powerful. Simple. Perfect. Brings a whole new cooking experience! Thanks to the power of 210 W, there is no dirt and odor that this motor cannot extract with as many as 3 levels of operation. Two powerful LED lights that will evenly illuminate the worktop allowing you to enjoy late night meal preparations and gatherings.

APPLIANCE DIMENSIONS



LIGHT REPLACEMENT

WARNING:
Lighting replacement must be performed by an authorized service center or similar qualified person to avoid the risk of electric shock.

ENERGY LABEL

