

Informacijski list proizvoda (HR)

Product information (ENG)

VIVAX



70 W
JAČINA MOTORA



361 m³/h
PROTOK ZRAKA



ALUMINIJSKI
FILTER

Ugradbena izvlačna kuhinjska napa CHO-60PT070A B / X

Kuhinjska napa koja je vidljiva samo onda kada je to potrebno. U potpunosti je ugrađena u kuhinjski element dajući vam još više dodatnog prostora za pohranu. Opremljena je perivim aluminijskim filterima masti koji omogućuju učinkovito hvatanje i uklanjanje vlage i dima masti iz vašeg prostora za kuhanje.



Snaga motora
70 W

Brzine motora
2

Protok zraka (ERP)
361 m³/h

Napajanje / Ukupna snaga
71 W

Minimalna / Maksimalna razina buke
58 dB / 63 dB

Klasa energetske učinkovitosti
A

Učinkovitost filtriranja masnoće
D

Razred učinkovitosti osvjetljenja
A

Tip svjetla
1 x 1 W LED E14 / 43 lux

Vanjski izgled / Kontrole
Nehrđajući čelik / Sklopka

Tip filtera
2 x Aluminijski filter u 5 slojeva

Ugljeni filter za unutarnju cirkulaciju zraka
CP350 (naručuje se posebno)

Promjer odvodnog crijeva / Mjesto priključka
150 mm / Gornja strana

Pribor u kompletu
Nosač i pribor za montažu; Energetska naljepnica;
Upute za uporabu i montažu

Bruto / Neto težina
7,5 kg / 6,5 kg

Dimenzija paketa / Dimenzija uređaja
650 x 264 x 358 mm / 600 x 298-472 x 228 mm

EAN Kod Crna / EAN Kod Aluminijska
3856005181117 / 3856005181100

SAP Kod Crna / SAP Kod Aluminijska
1208267 / 1208265



Aluminijski filter



LED Rasvjeta



Izvlačna napa

VIVAX



70 W
JAČINA MOTORA



361 m³/h
PROTOK ZRAKA




ALUMINIJSKI
FILTER

Ugradbena izvlačna kuhinjska napa CHO-60PT070A B / X


Kuhinjska napa koja je vidljiva samo onda kada je to potrebno. U potpunosti je ugrađena u kuhinjski element dajući vam još više dodatnog prostora za pohranu. Opremljena je perivim aluminijskim filtrima masti koji omogućuju učinkovito hvatanje i uklanjanje vlage i dima masti iz vašeg prostora za kuhanje.



DIMENZIJE PROIZVODA





ZAMJENA SVJETLA



UPOZORENJE:
Zamjenu osvjetljenja mora izvesti ovlašteni servis ili slična kvalificirana osoba kako bi se izbjegla opasnost od električnog udara.

ENERGETSKA NALJEPNICA



VIVAX

Kitchen Hood CHO-60PT070A B / X



70 W
MOTOR POWER



361 m³/h
AIR FLOW



ALUMINUM
FILTER

A kitchen hood that is only visible when needed. It is fully integrated into the kitchen element giving you even more storage space. It is equipped with washable aluminum grease filters that allow you to efficiently capture and remove moisture and smoke grease from your cooking space.



Motor Power
70 W

Number of engine speeds
2

Air Flow (ErP)
361 m³/h

Power Supply / Power
71 W

Min. / Max. noise level
58 dB / 63 dB

Energy efficiency class
A

Grease filtering efficiency
D

Lighting efficiency class
A

Type of light source
1 x 1 W LED E14 / 43 lux

Exterior / Controls
Stainless Steel / Switch Button

Filter Type
2 x Aluminum filter in 5 layers

Carbon Filter for indoor air circulation
CP350 (purchased separately)

Exhaust hose diameter / Connection location
150 mm / Upper Side

Installation Accessories
Bracket and mounting accessories; Energy label;
Instructions for use and installation

Gross / Net Weight
7.5 kg / 6.5 kg

Package Dimension / Appliance Dimension
650 x 264 x 358 mm / 600 x 298-472 x 228 mm

EAN Code Black / EAN Code Aluminum
3856005181117 / 3856005181100

SAP Code Black / SAP Code Aluminum
1208267 / 1208265



Aluminum Filter



LED lighting



Under cabinet kitchen hood

VIVAX



70 W
MOTOR POWER



361 m³/h
AIR FLOW




ALUMINUM
FILTER

Kitchen Hood CHO-60PT070A B / X


A kitchen hood that is only visible when needed. It is fully integrated into the kitchen element giving you even more storage space. It is equipped with washable aluminum grease filters that allow you to efficiently capture and remove moisture and smoke grease from your cooking space.



APPLIANCE DIMENSIONS



LIGHT REPLACEMENT



WARNING:
Lighting replacement must be performed by an authorized service center or similar qualified person to avoid the risk of electric shock.

ENERGY LABEL

